



**Wynn's Canada Ltd.** 7090 Edwards Blvd. Mississauga, Ontario Canada L5S 1Z1  
(905) 670-3881 Fax: (905) 670-3829

## MATERIAL SAFETY DATA SHEET

### SECTION 01 : MATERIAL NAME/IDENTIFIER

**PRODUCT NAME** ..... WYNN'S ENGINE STOP LEAK (PART #50609)  
**MANUFACTURER** ..... WYNN'S CANADA LTD.  
 7090 EDWARDS BLVD.  
 MISSISSAUGA, ONTARIO L5S 1Z1  
 CHEMTREC 24 HOUR EMERGENCY TELEPHONE # (703) 527-3887 CALL COLLECT

CHEMICAL NAME ..... NA  
 CHEMICAL FAMILY ..... NA  
 CHEMICAL FORMULA ..... 50609  
 TRADE NAME AND SYNONYMS ..... ENGINE STOP LEAK  
 MOLECULAR WEIGHT ..... NA  
 MATERIAL USE ..... NA

### SECTION 02: HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	APPROXIMATE CONDENSATION %	C.A.S., N.A. OR U.N. NUMBERS	LD/50, ROUTE, SPECIES	LC/50, ROUTE, SPECIES
PETROLEUM OIL	60-100	72623-87-1	NOT AVAILABLE	5mg/m <sup>3</sup> AS MIST INHALATION

### SECTION 03: PHYSICAL DATA

PHYSICAL STATE ..... LIQUID  
 ODOUR THRESHOLD (P.P.M) ..... NOT ESTABLISHED  
 SPECIFIC GRAVITY ..... 0.87  
 VAPOUR PRESSURE ..... ND  
 VAPOUR DENSITY (AIR=1) ..... ND  
 EVAPORATION RATE ..... ND  
 BOILING POINT (°C) ..... >288°C  
 FREEZING POINT (°C) ..... -12°C  
 SOLUBILITY IN WATER (20°C) ..... 0%  
 % VOLATILE (BY VOLUME) ..... 0%  
 pH ..... NA  
 COEFFICIENT OF WATER/OIL DISTRIBUTION ..... ND

**PRODUCT NAME** ..... WYNN'S ENGINE STOP LEAK

### SECTION 04: FIRE AND EXPLOSION DATA

FLAMMABILITY ..... NO

IF YES, UNDER WHICH CONDITIONS? .....

MEANS OF EXTINCTION ..... CARBON DIOXIDE, DRY CHEMICALS, WATER SPRAY, FOAM.

SPECIAL PROCEDURES ..... USE WATER TO COOL FIRE-EXPOSED CONTAINERS. FIRE FIGHTERS  
..... MUST WEAR A SELF-CONTAINED BREATHING APPARATUS WHENEVER  
..... HYDROCARBONS ARE INVOLVED IN FIRE.

FLASHPOINT (°C) AND METHOD ..... 196°C ASTM D-92

UPPER EXPLOSION LIMIT (% BY VOLUME) ..... ND

LOWER EXPLOSION LIMIT (% BY VOLUME)..... ND

AUTOIGNITION TEMPERATURE (°C)..... ND

HAZARDOUS COMBUSTION PRODUCTS ..... ND

#### EXPLOSION DATA

SENSITIVITY TO MECHANICAL IMPACT ..... NONE INDICATED

SENSITIVITY TO STATIC DISCHARGE ..... NONE INDICATED

### SECTION 05: REACTIVITY DATA

CHEMICAL STABILITY ..... YES

IF NO, UNDER WHICH CONDITIONS? .....

INCOMPATIBILITY TO OTHER SUBSTANCES ..... YES

IF SO, WHICH ONES? ..... WATER, OXIDIZING AGENTS.

REACTIVITY AND UNDER WHAT CONDITIONS? ..... HEAT, OPEN FLAME.

HAZARDOUS DECOMPOSITION PRODUCTS ..... THERMAL DECOMPOSITION PRODUCES OXIDES OF CARBON.

### SECTION 06: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY:

SKIN CONTACT ..... YES

SKIN ABSORPTION.....

EYE CONTACT ..... YES

INHALATION.....

INHALATION CHRONIC .....

INGESTION..... YES

**PRODUCT NAME** ..... WYNN'S ENGINE STOP LEAK

EFFECTS OF ACUTE EXPOSURE : PROLONGED AND REPEATED CONTACT WITH SKIN AND EYES MAY CAUSE SLIGHT IRRITATION. PREEXISTING SKIN DISORDERS MAY BE AGGRAVATED BY THE PRODUCT.

EFFECTS OF CHRONIC EXPOSURE : NONE INDICATED TO ANY HAZARDOUS DEGREE.

EXPOSURE LIMITS .....ND

IRRITANCY OF MATERIAL .....SLIGHT IRRITANT ON LONG EXPOSURE.

SENSITIZATION OF MATERIAL.....NONE INDICATED.

SYNERGISTIC MATERIALS .....NOT KNOWN.

CARCINOGENICITY, REPRODUCTIVE EFFECTS,  
TERATOGENICITY, MUTAGENICITY .....NONE KNOWN TO BE CARCINOGENIC BASED ON  
.....AVAILABLE DATA.

**SECTION 07: PREVENTIVE MEASURES**

**PERSONAL PROTECTIVE EQUIPMENT**

GLOVES (SPECIFY)..... IMPERVIOUS GLOVES

EYE (SPECIFY) ..... SAFETY GLASSES

RESPIRATORY (SPECIFY) ..... NORMAL USE CONDITION NONE REQUIRED.

OTHER (SPECIFY) ..... NONE SPECIAL.

ENGINEERING CONTROLS ..... LOCAL EXHAUST TO REDUCE MIST AND VAPORS.

LEAK AND SPILL PROCEDURE ..... CONTAIN LIQUID WITH INERT ABSORBENT. SHOVEL INTO WASTE  
..... CONTAINERS. PREVENT LIQUID FROM ENTERING SEWERS AND  
..... WATERWAYS.

WASTE DISPOSAL..... IN COMPLIANCE WITH APPLICABLE REGULATIONS.

HANDLING PROCEDURES AND EQUIPMENT..... HANDLE WITH REASONABLE CARE.

STORAGE REQUIREMENTS ..... STORE IN COOL DRY PLACE. DO NOT STORE IN OPENED CONTAINER.  
..... USE ENTIRE CONTENTS. KEEP OUT OF REACH OF CHILDREN.

SPECIAL SHIPPING INFORMATION ..... PETROLEUM OIL N.O.I.

**PRODUCT NAME** ..... WYNN'S ENGINE STOP LEAK

**SECTION 08: FIRST AID MEASURES**

INGESTION: NONE SPECIAL FOR HIGH VISCOSITY LOW VOLATILITY PRODUCTS.

SKIN: WIPE OFF, WASH AFFECTED AREA WITH SOAP AND WATER.

EYES: FLUSH WITH WATER FOR 15 MINUTES. CALL FOR MEDICAL HELP.

INHALATION: REMOVE PERSON TO FRESH AIR TO AVOID FURTHER INHALATION.

ADDITIONAL INFORMATION

TREATMENT CONTROLLED BY SYMPTOMS AND CLINICAL CONDITIONS BY ATTENDING PHYSICIAN.

**SECTION 09: PREPARATION DATE OF M.S.D.S**

PREPARED BY ..... TECHNICAL DEPARTMENT

TELEPHONE NUMBER ..... (905) 670-3881

DATE..... 11/19/2010

**ADDITIONAL NOTES OR REFERENCES:**