



# MATERIAL SAFETY DATA SHEET

## Wynn's Headlight Restoration Kit (CV 1)

WYNN'S  
A division of Illinois Tool Works Inc.  
1151 West Fifth Street  
Azusa, California 91702

**EMERGENCY TELEPHONE NUMBER:**  
Chemtrec (800) 424-9300  
**INFORMATION TELEPHONE NUMBER:**  
Wynn's (626) 334-0231

### PRODUCT IDENTIFICATION

PRODUCT NAME	EFFECTIVE DATE	PRODUCT CODE
Wynn's Headlight Restoration Kit (CV 1)	3-4-08	10072
CHEMICAL NAME	CAS NUMBER	
N/A	N/A	

### HAZARDOUS INGREDIENTS

COMMON NAME	CHEMICAL NAME	CAS NO.	%	OSHA PEL	ACGIH TLV-TWA
N/A	N/A	N/A	N/A	N/A	N/A

Contains no other ingredients now known to be hazardous as defined by OSHA 29CFR 1910.1000(z) and 29CFR 1910.1200.

### PHYSICAL DATA

These data are approximate or typical values and should not be used as precise specifications. Unless otherwise noted values are at 20°C(68°F) and 760 mmHg (1 atm).

<b>Boiling Point/Range</b>	212°F(100°C)	<b>Freeze Point</b>	32°F(0°C)
<b>Specific Gravity (H<sub>2</sub>O=1) @ 15.6°C</b>	>1.53	<b>Vapor Pressure (mm Hg)</b>	N/A
<b>Vapor Density (Air =1)</b>	N/A	<b>Solubility in Water (%)</b>	Partial
<b>% Volatiles by Volume</b>	<43	<b>Evaporation Rate (Butyl Acetate = 1)</b>	N/A
<b>pH (as is)</b>	7.0-8.0	<b>pH (dilute) @ %</b>	N/A
<b>Appearance</b>	White Liquid	<b>Odor</b>	Slight

N/D - Not Determined

N/A - Not Applicable

< = Less Than

> = Greater Than

---

## FIRE AND EXPLOSION HAZARD DATA

---

<b>Flash Point</b>	No Flash °F( °C)	<b>Method</b>	
<b>Flammable or Explosive Limits</b> (Approximate percent by volume in air)			
Lower (LEL)	N/A	Upper (UEL)	N/A

### Hazard Class Identification

	<b>Flammability</b> 0		<b>Hazard Code</b> 0 - Least (insignificant)
<b>Health</b> 1		<b>Reactivity</b> 0	1 - Slight
	<b>Other</b> --		2 - Moderate
			3 - High
			4 - Extreme

### Extinguishing Media

Water, water spray, foam, carbon dioxide, dry chemicals.

### Special Fire Fighting Procedures

Use water to cool fire exposed containers.

### Unusual Fire and Explosion Hazards

None indicated.

---

## REACTIVITY DATA

---

### Stability

Stable.

### Conditions to Avoid

Avoid storage at temperatures above 120°F. Strong oxidizers and chlorine products.

### Materials to Avoid

None Known

### Hazardous Decomposition or Combustion Products

Thermal decomposition may produce oxides of carbon.

### Hazardous Polymerization (conditions)

Will not occur.

## HEALTH HAZARDS/ROUTES OF ENTRY

---

### Signs, Symptoms and Effects of Overexposure

**Ingestion** (swallowing) Irritation to mounth, nose and throat. Nausea and discomfort to May cause slight irritation to digestive tract.

**Skin Contact** No effects of exposure expected due to contact. Product may cause irritation or dermatitis in some individuals upon prolonged contact.

**Eye Contact** May cause irritation to eyes.

**Inhalation** (breathing) If misted, products may cause irritation of mucous membranes of the nose, eyes or throat and coughing or difficulty in breathing.

### Other Effects of Prolonged/Repeated Overexposure

This material has not been identified as a carcinogen by NTP, IARC or OSHA.

---

## EMERGENCY AND FIRST AID PROCEDURES

---

**Ingestion** (swallowing) Do not induce vomiting. Call a physician immediately.

**Skin Contact** Wash effected area with soap and water. Remove contaminated clothing.

**Eye Contact** Flush eyes with water for 15 minutes. If irritation persists call a physician.

**Inhalation** (breathing) Remove person to fresh air to avoid further inhalation.

---

## SPILL OR RELEASE CONTROL PROCEDURES

---

### Steps to be taken in case material is released or spilled

Flush spilled area with water.

### Waste Disposal Method

Dispose in accordance with Federal, State and Local regulations.

### EPA Reportable Quantity (RQ), 40CFR302 (CERCLA104)

N/A

### EPA Toxic Chemical Release Reporting, 40CFR372(SARA313)

Chemical

CAS NO.

% in Product

N/A

N/A

N/A

---

## HANDLING AND STORAGE

---

### Handling and Storage Precautions

Store in cool dry place. Avoid storage at temperatures above 120°F. Avoid freezing.

### Other Precautions

None.

---

## PERSONAL PROTECTION - EXPOSURE CONTROL

---

### Ventilation

Normal use, none required. If misting occurs a mechanical or local exhaust is recommended.

### Respiratory Protection

Normal use, none required.

### Eye Protection

Safety glasses.

### Protective Gloves

Rubber, plastic gloves.

### Other Protective Clothing or Equipment

None.

### Work/Hygienic Practices

Personal cleanliness is always appropriate. Frequent washing minimizes inadvertent exposure.

---

## TRANSPORTATION INFORMATION

---

### Department of Transportation (DOT, IATA and IMDG) Classification

N/A

### Proper Shipping Name

N/A

**ID Number**

N/A

---

**DOCUMENTATION**

---

Product Code No.: 10072 CV 1  
Previous Code No.: New

Issue Date: 3-4-08  
Prior Date: New

This information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.



# MATERIAL SAFETY DATA SHEET

## Wynn's Headlight Restoration Kit (CV 2)

WYNN'S  
A division of Illinois Tool Works Inc.  
1151 West Fifth Street  
Azusa, California 91702

**EMERGENCY TELEPHONE NUMBER:**  
Chemtrec (800) 424-9300  
**INFORMATION TELEPHONE NUMBER:**  
Wynn's (626) 334-0231

### PRODUCT IDENTIFICATION

PRODUCT NAME	EFFECTIVE DATE	PRODUCT CODE
Wynn's Headlight Restoration Kit (CV 2)	3-4-08	10072
CHEMICAL NAME	CAS NUMBER	
N/A	N/A	

### HAZARDOUS INGREDIENTS

COMMON NAME	CHEMICAL NAME	CAS NO.	%	OSHA PEL	ACGIH TLV-TWA
N/A	N/A	N/A	N/A	N/A	N/A

Contains no other ingredients now known to be hazardous as defined by OSHA 29CFR 1910.1000(z) and 29CFR 1910.1200.

### PHYSICAL DATA

These data are approximate or typical values and should not be used as precise specifications. Unless otherwise noted values are at 20°C(68°F) and 760 mmHg (1 atm).

<b>Boiling Point/Range</b>	212°F(100°C)	<b>Freeze Point</b>	32°F(0°C)
<b>Specific Gravity (H<sub>2</sub>O=1) @ 15.6°C</b>	1.02	<b>Vapor Pressure (mm Hg)</b>	N/D
<b>Vapor Density (Air =1)</b>	N/D	<b>Solubility in Water (%)</b>	100
<b>% Volatiles by Volume</b>	N/D	<b>Evaporation Rate (Butyl Acetate = 1)</b>	N/D
<b>pH (as is)</b>	7.5-8.0	<b>pH (dilute) @ %</b>	N/A
<b>Appearance</b>	White Liquid	<b>Odor</b>	Slight

N/D - Not Determined

N/A - Not Applicable

< = Less Than

> = Greater Than

---

## FIRE AND EXPLOSION HAZARD DATA

---

**Flash Point** No Flash °F( °C) **Method**

**Flammable or Explosive Limits** (Approximate percent by volume in air)

Lower (LEL)	N/A	Upper (UEL)	N/A
-------------	-----	-------------	-----

### Hazard Class Identification

	<b>Flammability</b> 0		<b>Hazard Code</b> 0 - Least (insignificant)
<b>Health</b> 1		<b>Reactivity</b> 0	1 - Slight
	<b>Other</b> --		2 - Moderate
			3 - High
			4 - Extreme

### Extinguishing Media

Water, water spray, foam, carbon dioxide, dry chemicals.

### Special Fire Fighting Procedures

Use water to cool fire exposed containers.

### Unusual Fire and Explosion Hazards

None indicated.

---

## REACTIVITY DATA

---

### Stability

Stable.

### Conditions to Avoid

Avoid storage at temperatures above 120°F.

### Materials to Avoid

None Known

### Hazardous Decomposition or Combustion Products

None Known

### Hazardous Polymerization (conditions)

Will not occur.

---

## HEALTH HAZARDS/ROUTES OF ENTRY

---

### Signs, Symptoms and Effects of Overexposure

**Ingestion** (swallowing) May cause slight irritation to digestive tract.

**Skin Contact** Possible irritant.

**Eye Contact** Possible irritant.

**Inhalation** (breathing) May cause slight irritation.

### Other Effects of Prolonged/Repeated Overexposure

This material has not been identified as a carcinogen by NTP, IARC or OSHA.

---

## EMERGENCY AND FIRST AID PROCEDURES

---

**Ingestion** (swallowing) Do not induce vomiting. Call a physician immediately.

**Skin Contact** Wash effected area with soap and water. Remove contaminated clothing.

**Eye Contact** Flush eyes with water for 15 minutes. If irritation persists call a physician.

**Inhalation** (breathing) Remove person to fresh air to avoid further inhalation.

---

## SPILL OR RELEASE CONTROL PROCEDURES

---

### Steps to be taken in case material is released or spilled

Use absorbent sand, clay or vermiculite. Shovel into containers. Prevent liquid from entering into sewers and waterways.

### Waste Disposal Method

Dispose of in accordance with Federal, State and Local regulations.

### EPA Reportable Quantity (RQ), 40CFR302 (CERCLA104)

N/A

### EPA Toxic Chemical Release Reporting, 40CFR372(SARA313)

Chemical	CAS NO.	% in Product
N/A	N/A	N/A

---

## HANDLING AND STORAGE

---

### Handling and Storage Precautions

Store in cool dry place. Avoid storage at temperatures above 120°F. Avoid freezing.

### Other Precautions

None.

---

## PERSONAL PROTECTION - EXPOSURE CONTROL

---

### Ventilation

Normal use, none required. If misting occurs a mechanical or local exhaust is recommended.

### Respiratory Protection

Normal use, none required.

### Eye Protection

Safety glasses.

### Protective Gloves

Rubber, plastic gloves.

### Other Protective Clothing or Equipment

None.

### Work/Hygienic Practices

Personal cleanliness is always appropriate. Frequent washing minimizes inadvertent exposure.

---

## TRANSPORTATION INFORMATION

---

### Department of Transportation (DOT, IATA and IMDG) Classification

N/A

### Proper Shipping Name

N/A

### ID Number

N/A

## DOCUMENTATION

---

Product Code No.: 10072 (CV 2)  
Previous Code No.: New

Issue Date: 3-4-08  
Prior Date: 3-7-06

This information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.