



# MATERIAL SAFETY DATA SHEET

Wynn's Professional Products  
Airco Fresh - Aerosol

WYNN'S  
A division of Illinois Tool Works Inc.  
1151 West Fifth Street  
Azusa, California 91702

**EMERGENCY TELEPHONE NUMBER:**  
Chemtrec (800) 424-9300  
**INFORMATION TELEPHONE NUMBER:**  
Wynn's (626) 334-0231

## PRODUCT IDENTIFICATION

PRODUCT NAME	EFFECTIVE DATE	PRODUCT CODE
Wynn's Professional Products Airco Fresh - Aerosol	3-17-2011	16101
CHEMICAL NAME	CAS NUMBER	
NA	NA	

## HAZARDOUS INGREDIENTS

COMMON NAME	CHEMICAL NAME	CAS NO.	OSHA PEL	ACGIH TLV-TWA
Isopropyl Alcohol	Isopropanol	67-63-0	400 ppm	400 ppm
Acetone	2 Propanone	67-64-1	1000	500 ppm
Ethyl Alcohol	Ethanol	64-17-5	1000 ppm	1000 ppm
Tetrafluoroethane	1,1,1,2 - Tetrafluoroethane	811-97-2	None Established	None Established

Contains no other ingredients now known to be hazardous as defined by OSHA 29CFR 1910.1000(z) and 29CFR 1910.1200.

## PHYSICAL DATA

These data are approximate or typical values and should not be used as precise specifications. Unless otherwise noted values are at 20°C(68°F) and 760 mmHg (1 atm).

<b>Boiling Point/Range</b>	-15.7 to 469°F (-26.5 to 243°C)	<b>Freeze Point</b>	N/D
<b>Specific Gravity (H<sub>2</sub>O=1) @ 15.6°C</b>	0.8 – 0.9	<b>Vapor Pressure (PSIG)</b>	61
<b>Vapor Density (Air =1)</b>	>1	<b>Solubility in Water (%)</b>	Soluble
<b>% Volatiles Organic Compounds (CARB)</b>	≤25%	<b>Evaporation Rate (Butyl Acetate = 1)</b>	<1
<b>pH (as is)</b>	9.45	<b>pH (dilute) @ %</b>	NA
<b>Appearance</b>	Clear	<b>Odor</b>	Sweet odor

N/D - Not Determined

N/A - Not Applicable

< = Less Than

> = Greater Than



Will not occur.

---

## HEALTH HAZARDS/ROUTES OF ENTRY

---

### Signs, Symptoms and Effects of Overexposure

**Ingestion** (swallowing) Harmful if swallowed. Can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Skin Contact** May cause irritation, redness and defatting of skin.

**Eye Contact** Irritant to eyes.

**Inhalation** (breathing) May cause dizziness, nausea and narcosis in high vapor concentration.

### Other Effects of Prolonged/Repeated Overexposure

This material has not been identified as a carcinogen by NTP, IARC or OSHA. In a confined area vapors in high concentration are anesthetic. Irritant to skin and upper respiratory system. Overexposure may result in light-headedness, staggering gait, giddiness and possible nausea.

---

## EMERGENCY AND FIRST AID PROCEDURES

---

**Ingestion** (swallowing) Call physician immediately. DO NOT induce vomiting.

**Skin Contact** Wash with soap and water and remove contaminated clothing.

**Eye Contact** Flush with water for at least 15 minutes.

**Inhalation** (breathing) Remove patient to fresh air.

---

## SPILL OR RELEASE CONTROL PROCEDURES

---

### Steps to be taken in case material is released or spilled

Remove all sources of ignition. Ventilate area. Remove with absorbent material. Use non-sparking tools. Put into container.

### Waste Disposal Method

Dispose of in accordance to Federal, State and Local regulations.

### EPA Reportable Quantity (RQ), 40CFR302 (CERCLA104)

Acetone (5000 lbs)

### EPA Toxic Chemical Release Reporting, 40CFR372(SARA313)

<b>Chemical</b>	<b>CAS NO.</b>	<b>% in Product</b>
N/A	N/A	N/A

---

## **HANDLING AND STORAGE**

---

### **Handling and Storage Precautions**

DO NOT store above 120°F. Keep at room temperature as exposure to direct sunlight or heat may cause bursting.

### **Other Precautions**

KEEP AWAY FROM CHILDREN.  
DO NOT puncture or incinerate.  
DO NOT spray near fire or open flame.

---

## **PERSONAL PROTECTION - EXPOSURE CONTROL**

---

### **Ventilation**

Provide local exhaust ventilation to keep exposure levels below TLV and LEL limits.

### **Respiratory Protection**

Normal use, none required.

### **Eye Protection**

Safety glasses

### **Protective Gloves**

Impervious gloves

### **Other Protective Clothing or Equipment**

None

### **Work/Hygienic Practices**

Personal cleanliness is always appropriate. Frequent washing minimizes chances of inadvertent exposure.

---

## TRANSPORTATION INFORMATION

---

### Department of Transportation (DOT) Classification

	Flammable Liquid		Corrosive
	Flammable Solid	XXX	Non-Flammable Gas
	Flammable Gas		Not Hazardous by DOT
	Combustible Liquid		Other:

### DOT Proper Shipping Name

Aerosols

### DOT ID Number

UN1950

NOTE: CONSUMER COMMODITY, ORM-D MAY BE USED FOR GROUND TRANSPORTATION WITHIN THE USA.

---

## DOCUMENTATION

---

Product Code No.: 16101  
Previous Code No.: 16101

Issue Date: 03-17-2011  
Prior Date: 07-26-06

This information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.