



Wynn's Canada Ltd. 7090 Edwards Blvd. Mississauga, Ontario Canada L5S 1Z1
(905) 670-3881 Fax: (905) 670-3829

MATERIAL SAFETY DATA SHEET

SECTION 01 : MATERIAL NAME/IDENTIFIER

PRODUCT NAME X-TEND SUPREME (PART #64310,28)
MANUFACTURER WYNN'S CANADA LTD.
 7090 EDWARDS BLVD.
 MISSISSAUGA, ONTARIO L5S 1Z1
 CHEMTREC 24 HOUR EMERGENCY TELEPHONE # (703) 527-3887 CALL COLLECT
CHEMICAL NAME NA
CHEMICAL FAMILY NA
CHEMICAL FORMULA 643
TRADE NAME AND SYNONYMS NA
MOLECULAR WEIGHT NA
MATERIAL USE OIL ADDITIVE

SECTION 02: HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	APPROXIMATE CONDENSATION %	C.A.S., N.A. OR U.N. NUMBERS	LD/50, ROUTE, SPECIES	LC/50, ROUTE, SPECIES
PETROLEUM HYDROCARBON	65-80%	64742-58-1	ND	ND

SECTION 03: PHYSICAL DATA

PHYSICAL STATE LIQUID
ODOUR THRESHOLD (P.P.M) ND
SPECIFIC GRAVITY 0.90
VAPOUR PRESSURE <1
VAPOUR DENSITY (AIR=1) NA
EVAPORATION RATE ND
BOILING POINT (°C) 315⁰C
FREEZING POINT (°C) -6.7⁰C
SOLUBILITY IN WATER (20°C) <.1%
% VOLATILE (BY VOLUME) 0
pH ND
COEFFICIENT OF WATER/OIL DISTRIBUTION ND

PRODUCT NAME X-TEND SUPREME

SECTION 04: FIRE AND EXPLOSION DATA

FLAMMABILITY NA

IF YES, UNDER WHICH CONDITIONS? NA

MEANS OF EXTINCTION DRY CHEMICALS, CARBON DIOXIDE, WATER FOG FOAM.

SPECIAL PROCEDURES USE WATER TO COOL FIRE-EXPOSED CONTAINERS. FIRE FIGHTERS USE
..... A SELF CONTAINED BREATHING APPARATUS.

FLASHPOINT (°C) AND METHOD 199°C

UPPER EXPLOSION LIMIT (% BY VOLUME) ND

LOWER EXPLOSION LIMIT (% BY VOLUME)..... ND

AUTOIGNITION TEMPERATURE (°C)..... ND

HAZARDOUS COMBUSTION PRODUCTS COMBUSTION WILL PRODUCE SMOKE AND TOXIC FUMES.

EXPLOSION DATA

SENSITIVITY TO MECHANICAL IMPACT NA

SENSITIVITY TO STATIC DISCHARGE NA

SECTION 05: REACTIVITY DATA

CHEMICAL STABILITY STABLE

IF NO, UNDER WHICH CONDITIONS?

INCOMPATIBILITY TO OTHER SUBSTANCES YES

IF SO, WHICH ONES?..... STRONG OXIDIZING AGENTS.

REACTIVITY AND UNDER WHAT CONDITIONS?..... NA

HAZARDOUS DECOMPOSITION PRODUCTS THERMAL DECOMPOSITION MAY PRODUCE OXIDES OF CARBON,
..... SULFUR, NITROGEN, PHOSPHORUS, ZINC AND SODIUM.

SECTION 06: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY:

SKIN CONTACT..... YES

SKIN ABSORPTION..... NA

EYE CONTACT YES

INHALATION..... YES

INHALATION CHRONIC NA

INGESTION..... YES

PRODUCT NAME X-TEND SUPREME

EFFECTS OF ACUTE EXPOSURE: INGESTION-MAY CAUSE SLIGHT IRRITATION TO DIGESTIVE TRACT. SIGNS AND SYMPTOMS ARE DISCOMFORT, NAUSEA, VOMITING. SKIN-CAN CAUSE IRRITATION. MAY ABSORB ON PROLONGED CONTACT CAUSING REDNESS, DEFATTING OF SKIN TO SENSITIVE INDIVIDUALS. EYE CONTACT-MAY CAUSE IRRITATION TO THE EYES ON DIRECT CONTACT. SYMPTOMS INCLUDE REDNESS AND BLURRED VISION. INHALATION-VAPORS GENERATED AT ELEVATED TEMPERATURES CAN CAUSE IRRITATION TO RESPIRATORY TRACT.

EFFECTS OF CHRONIC EXPOSURE:THIS MATERIAL HAS NOT BEEN IDENTIFIED AS A CARCINOGEN BY NTP, IARC OR OSHA. PROLONGED AND REPEATED CONTACT WITH SKIN WILL CAUSE IRRITATION, DEFATTING OF SKIN AND REDNESS.

EXPOSURE LIMITSNA

IRRITANCY OF MATERIALNA

SENSITIZATION OF MATERIAL.....NA

SYNERGISTIC MATERIALSNA

CARCINOGENICITY, REPRODUCTIVE EFFECTS,
 TERATOGENICITY, MUTAGENICITY THIS MATERIAL HAS NOT BEEN IDENTIFIED AS A
 CARCINOGEN BY NTP, IARC OR OSHA.

SECTION 07: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

GLOVES (SPECIFY)..... RUBBER, PLASTIC

EYE (SPECIFY) SAFETY GLASSES

RESPIRATORY (SPECIFY)..... NORMAL USE, NONE REQUIRED.

OTHER (SPECIFY)..... NONE

ENGINEERING CONTROLS..... IF MISTING OCCURS A MECHANICAL OR LOCAL EXHAUST IS
 RECOMMENDED.

LEAK AND SPILL PROCEDURE USE ABSORBENT SAND, CLAY OR VERMICULITE. SHOVEL INTO
 CONTAINERS. PREVENT LIQUID FROM ENTERING INTO SEWERS AND
 WATERWAYS.

WASTE DISPOSAL..... DISPOSE OF IN ACCORDANCE WITH FEDERAL, PROVINCIAL AND LOCAL
 REGULATIONS.

HANDLING PROCEDURES AND EQUIPMENT..... NA

STORAGE REQUIREMENTS DO NOT STORE OPENED CONTAINERS. USE ENTIRE CONTENTS.

SPECIAL SHIPPING INFORMATION NA

PRODUCT NAME X-TEND SUPREME

SECTION 08: FIRST AID MEASURES

INGESTION- DO NOT INDUCE VOMITING. GIVE 2-3 CUPS OF WATER OR MILK. CALL FOR MEDICAL HELP.

SKIN CONTACT- WASH AFFECTED AREA WITH SOAP AND WATER. IF IRRITATION PERSISTS, CALL FOR MEDICAL HELP.

EYE CONTACT- FLUSH EYES WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, CALL FOR MEDICAL HELP.

INHALATION- REMOVE TO FRESH AIR TO AVOID FURTHER INHALATION.

ADDITIONAL INFORMATION

TREATMENT SHOULD BE CONTROLLED BY SYMPTOMS AND CLINICAL CONDITIONS. EMESIS MAY BE INDUCED UNDER MEDICAL SUPERVISION.

SECTION 09: PREPARATION DATE OF M.S.D.S

PREPARED BY TECHNICAL DEPARTMENT

TELEPHONE NUMBER (905) 670-3881

DATE..... 03/04/2008

ADDITIONAL NOTES OR REFERENCES: