

Wynn's Canada Ltd. 7090 Edwards Blvd.

Mississauga, Ontario Canada L5S 1Z1
(905) 670-3881 Fax: (905) 670-3829

MATERIAL SAFETY DATA SHEET

SECTION 01 : MATERIAL NAME/IDENTIFIER

PRODUCT NAME WYNN'S POWER STEERING SUPPLEMENT (PART #64805)
MANUFACTURER WYNN'S CANADA LTD.
 7090 EDWARDS BLVD.
 MISSISSAUGA, ONTARIO L5S 1Z1
 CHEMTREC 24 HOUR EMERGENCY TELEPHONE # (703) 527-3887 CALL COLLECT

CHEMICAL NAME..... NA
 CHEMICAL FAMILY NA
 CHEMICAL FORMULA..... 648
 TRADE NAME AND SYNONYMS NA
 MOLECULAR WEIGHT NA
 MATERIAL USE NA

SECTION 02: HAZARDOUS INGREDIENTS

| HAZARDOUS INGREDIENTS | APPROXIMATE CONDENSATION % | C.A.S., N.A. OR U.N. NUMBERS | OSHA PEL | ACGIH TLV-TWA |
|-----------------------|-------------------------------|---------------------------------|----------------------|----------------------|
| PETROLEUM OIL | 60-70 | 64742-58-1 | 5 MG/KG ³ | 5 MG/KG ³ |

SECTION 03: PHYSICAL DATA

PHYSICAL STATE LIQUID
 ODOUR THRESHOLD (P.P.M) ND
 SPECIFIC GRAVITY 0.89
 VAPOUR PRESSURE..... ND
 VAPOUR DENSITY (AIR=1)..... HEAVIER THAN AIR
 EVAPORATION RATE SLOWER THAN ETHER
 BOILING POINT (°C)..... 287°C
 FREEZING POINT (°C)..... -23°C
 SOLUBILITY IN WATER (20°C) 0
 % VOLATILE (BY VOLUME) 0
 pH NA
 COEFFICIENT OF WATER/OIL DISTRIBUTION ND

PRODUCT NAME WYNN'S POWER STEERING SUPPLEMENT

SECTION 04: FIRE AND EXPLOSION DATA

FLAMMABILITY NO

IF YES, UNDER WHICH CONDITIONS?

MEANS OF EXTINCTION DRY CHEMICALS, WATER SPRAY, FOAM.

SPECIAL PROCEDURES USE WATER TO COOL FIRE EXPOSED CONTAINERS. FIRE FIGHTERS
..... MUST WEAR SELF -CONTAINED BREATHING APPARATUS.

FLASHPOINT (°C) AND METHOD 202°C ASTM D-92

UPPER EXPLOSION LIMIT (% BY VOLUME) ND

LOWER EXPLOSION LIMIT (% BY VOLUME)..... ND

AUTOIGNITION TEMPERATURE (°C)..... ND

HAZARDOUS COMBUSTION PRODUCTS OXIDES OF CARBON, SULFUR, NITROGEN, PHOSPHORUS, AND ZINC.

EXPLOSION DATA

SENSITIVITY TO MECHANICAL IMPACT

SENSITIVITY TO STATIC DISCHARGE

SECTION 05: REACTIVITY DATA

CHEMICAL STABILITY YES

IF NO, UNDER WHICH CONDITIONS?

INCOMPATIBILITY TO OTHER SUBSTANCES YES

IF SO, WHICH ONES?..... STRONG OXIDIZING AGENTS.

REACTIVITY AND UNDER WHAT CONDITIONS?..... HEAT, OPEN FLAME.

HAZARDOUS DECOMPOSITION PRODUCTS THERMAL DECOMPOSITION PRODUCES OXIDES OF CARBON,
..... NITROGEN, SULFUR, PHOSPHORUS, AND ZINC.

SECTION 06: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY:

SKIN CONTACT..... YES

SKIN ABSORPTION..... YES

EYE CONTACT YES

INHALATION..... YES

INHALATION CHRONIC

INGESTION..... YES

PRODUCT NAME WYNN'S POWER STEERING SUPPLEMENT

EFFECTS OF ACUTE EXPOSURE :

INGESTION (SWALLOWING): DO NOT SWALLOW. IF SWALLOWED, MAY CAUSE IRRITATION TO DIGESTIVE TRACT.

SKIN CONTACT: MAY ABSORB ON PROLONGED CONTACT. CAN CAUSE IRRITATION TO SKIN.

EYE CONTACT: WILL CAUSE IRRITATION TO THE EYES ON DIRECT CONTACT.

INHALATION: VAPOURS GENERATED AT ELEVATED TEMPERATURES CAN CAUSE IRRITATION TO RESPIRATORY TRACT.

EFFECTS OF CHRONIC EXPOSURE: PROLONGED AND REPEATED CONTACT WITH SKIN MAY CAUSE IRRITATION, DEFATTING OF SKIN AND DRYNESS. CERTAIN ZINC DIALKYL DITHIOPHOSPHATES, WHEN APPLIED TO THE SKIN OF MALE RABBITS OVER A PERIOD OF TIME ADVERSELY AFFECTED SPERMATOGENIC ACTIVITY.

EXPOSURE LIMITS NA

IRRITANCY OF MATERIAL NA

SENSITIZATION OF MATERIAL ND

SYNERGISTIC MATERIALS NONE KNOWN.

CARCINOGENICITY, REPRODUCTIVE EFFECTS,
TERATOGENICITY, MUTAGENICITY NONE KNOWN TO BE CARCINOGENIC BASED ON
..... AVAILABLE DATA.

SECTION 07: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

GLOVES (SPECIFY) RUBBER, PLASTIC GLOVES.

EYE (SPECIFY) SAFETY GLASSES.

RESPIRATORY (SPECIFY) NORMAL USE :NONE REQUIRED.

OTHER (SPECIFY) NONE SPECIAL.

ENGINEERING CONTROLS LOCAL EXHAUST TO REDUCE MIST OR VAPORS.

LEAK AND SPILL PROCEDURE CONTAIN SPILLED LIQUID WITH INERT ABSORBENT SUCH AS SAND,
..... CLAY, VERMICULITE. SHOVEL INTO WASTE CONTAINERS. PREVENT
..... LIQUID FROM ENTERING SEWERS AND WATERWAYS.

WASTE DISPOSAL IN COMPLIANCE WITH ALL APPLICABLE REGULATIONS.

HANDLING PROCEDURES AND EQUIPMENT CAUTION: CONTAINS PETROLEUM OIL. AVOID SKIN AND EYE CONTACT.
..... USE ENTIRE CONTENTS

STORAGE REQUIREMENTS STORE IN COOL DRY PLACE. KEEP AWAY FROM HEAT OR FLAME. DO
..... NOT STORE OPENED CONTAINERS. KEEP AWAY FROM CHILDREN.

SPECIAL SHIPPING INFORMATION NOT REGULATED

PRODUCT NAME WYNN'S POWER STEERING SUPPLEMENT

SECTION 08: FIRST AID MEASURES

INGESTION (SWALLOWING): DO NOT INDUCE VOMITING. GIVE 2-3 CUPS OF WATER OR MILK. CALL PHYSICIAN.

SKIN: WASH AFFECT AREA WITH SOAP AND WATER. IF IRRITATION PERSISTS CALL PHYSICIAN.

INHALATION: REMOVE PERSON TO FRESH AIR TO AVOID FURTHER INHALATION.

EYES: FLUSH EYES WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS CALL PHYSICIAN.

ADDITIONAL INFORMATION

EMESIS MAY BE INDUCED UNDER MEDICAL SUPERVISION. TREATMENT SHOULD BE CONTROLLED BY SYMPTOMS AND CLINICAL CONDITIONS.

SECTION 09: PREPARATION DATE OF M.S.D.S

PREPARED BY TECHNICAL DEPARTMENT

TELEPHONE NUMBER (905) 670-3881

DATE..... 2/15/2011

ADDITIONAL NOTES OR REFERENCES:

THIS INFORMATION IS, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, ACCURATE AND RELIABLE AS OF THE DATE COMPILED. HOWEVER, NO REPRESENTATION, WARRANTY OR GUARANTEE IS MADE AS TO ITS ACCURACY, RELIABILITY OR COMPLETENESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY AND COMPLETENESS OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.